DEFENDER

DEFENDER

Defender X-Dynamic HSE Ingenium 3,0 litre 6-cylinder 257 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive



EXTERIOR



EXTERIOR 3

EXTERIOR FEATURES

| Colours | Fuji White |
|--------------------|--|
| Colour Finish | Gloss finish |
| Roof Colour | Black contrast roof |
| Glass | Clear glass |
| Wheels | 50.80 cm (20) Style 5098, Satin Dark Grey wheels |
| Tyres | All-Terrain Tyres |
| Spare Wheel Covers | Body-coloured Spare Wheel Cover |

INTERIOR



INTERIOR 5

INTERIOR FEATURES

| Seat Configuration | 8 seats |
|--------------------|--|
| Trim | Ebony Windsor leather seats with Ebony interior |
| Finishers | Ebony finisher |
| Powder cross beam | Cross car beam in Light Cloud Powder Coat finish |
| Interior upgrades | Extended Leather Upgrade |
| Headlining | Ebony Morzine headlining |

ROOF TYPE

| Sliding panoramic roof | A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric |
|------------------------|--|
| | sunblind extends for extra shade or privacy. |

ROOF RAILS

| Black roof rails | Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum |
|------------------|---|
| | position for weight distribution and dynamics. |

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

| Signature | graphic | (with ii | nterior s | storage) | |
|-----------|---------|----------|-----------|----------|--|
| | | | | | |

Defender's signature graphic demonstrating its strength and proportions. Also includes interior storage.

FOG LIGHTS

| Front | | |
|-------|--|--|
| | | |
| | | |

Full LED front fog lights seamlessly integrate with your vehicle, combining style and functionality.

CONSOLE CONFIGURATION

Centre console with armrest -

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual headrests

Includes driver's/passenger powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- Power squab bolster
- 4-way lumbar

Driver & Passenger seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

60:40 load through rear seats with manual slide and recline and centre armrest

_

THIRD ROW SEATS

40:20:40 folding third row seats

-

STEERING WHEEL

Standard leather steering wheel

This comfortable steering wheel places a number of Land Rover Defender's primary functions at your fingertips. Incorporates PU covered airbag cover.

GEARSHIFT

| Leather gearshift | A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims. | | | |
|-------------------------------------|---|--|--|--|
| | | | | |
| SPARE WHEELS | | | | |
| 50.80 cm (20) full size spare wheel | Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor. | | | |
| | | | | |
| TOUCHSCREENS | | | | |
| 28.96 cm (11.4) Touchscreen | - | | | |
| | | | | |

LOADSPACE

| Flat Loadspace Floor Tray - | Flat Loadspace Floor Tray | - | | | |
|-----------------------------|---------------------------|---|--|--|--|
|-----------------------------|---------------------------|---|--|--|--|

STANDARD FEATURES

EXTERIOR FEATURES

Body-coloured bonnet Heated, electric, power fold door mirrors with approach lights Electric Parking Brake (EPB) and auto-dimming driver side Brake pad wear indicator **Emergency Brake Assist** Anti-lock Braking System (ABS) Electronic Brake-force Distribution (EBD) Electric windows with one-touch open/close and anti-trap Heated rear window with timer Rear wash wiper Side-hinged tailgate Satin Silicon Silver front and rear skid pan Satin Silicon Silver grille bar Satin Silicon Silver badging Third Row fixed panoramic glass Standard tail door Automatic Headlight Levelling Soft close tail door Black exposed rear recovery eyes

EXTERIOR LIGHTING

LED tail lights Centre high-mounted stop light Puddle lights

Automatic headlights and rain sensing wipers Rear fog lights Follow me home lighting

INTERIOR FEATURES

Electrically adjustable steering column

Carpet mats

Standard treadplates

Sunvisors with illuminated vanity mirrors

Configurable Cabin Lighting

Loadspace cover

Rear centre headrest

Durable rubber cabin flooring

Footwell lights

INTERIOR FEATURES

Rear reading lights Twin front cupholders Glovebox storage

Hooks in loadspace Windsor Leather Seats Air Quality Sensor

Cabin Air Purification Plus Three-zone Climate Control with Rear Heating and Cooling Assist

INFOTAINMENT

Meridian™ Sound System

Android Auto™ (subject to availability)

Apple CarPlay® (subject to availability)

Interactive Driver Display

12V power socket in loadspace

Pivi Pro

AM/FM radio

CONVENIENCE

Auto-dimming interior rear view mirror Roof Pod with no Camera Keyless Entry

Wireless device charging Remote

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Intrusion sensor

Rear ISOFIX

Customer Configurable Autolock

Power operated child locks

Seat belt reminder

Push Button Start

Front passenger seat ISOFIX

Front airbags, with passenger seat occupant detector

Tyre Pressure Monitoring System (TPMS)

TRANSMISSION AND DYNAMICS

| All Wheel Drive (AWD) Twin-spee | transfer box (high/low range) | Electronic Air Suspension |
|--|-------------------------------|---------------------------------|
| Adaptive Dynamics Terrain Re | sponse | 8-speed Automatic Transmission |
| Hill Launch Assist Electric Po | wer Assisted Steering (EPAS) | Dynamic Stability Control (DSC) |
| Low traction launch Electronic | Traction Control (ETC) | Roll Stability Control (RSC) |
| Cornering Brake Control (CBC) Hill Desce | nt Control (HDC) | Brake Hold |

DRIVER ASSISTANCE

| Emergency Braking (Not available in India) | 3D Surround Camera | Adaptive Cruise Control |
|--|--------------------|--|
| Lane Keep Assist (Not available in India) | 360º Parking Aid | Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India) |
| Driver Condition monitor | | |

STANDARD FEATURES 14

WHEEL AND TYRE OPTIONS

Full size spare wheel

TECHNICAL SPECIFICATIONS

| - | D | F | P | | n | P | М | Δ | N | CE |
|---|---|---|--------------|----|---|---|-----|---|----|--------|
| | | _ | \mathbf{r} | г, | u | П | IVI | ~ | ıv | \sim |

| Maximum speed (km/h) | 191 ‡ |
|-----------------------------------|-------|
| Acceleration (s) for 0-100 (km/h) | 6.8 |

TOWING

| Maximum vehicle and trailer combination | 6 380 |
|---|-------|
| (GTW) (kg) | |

POWERTRAIN

| Capacity (cc) | 2 997 |
|------------------------|---------------|
| Maximum power (kW) | 257 |
| Maximum torque (r/min) | 1 500 - 3 000 |
| Transmission | Automatic |

ROOF CARRYING

| Maximum roof load (including cross bars) (kg) | 100 (All-season tyres) / 168 (All-Terrain Tyres)◊ |
|---|---|
|---|---|

WEIGHTS

| Unladen weight (EU) (kg) | 2 627 (5 seats) / 2 696 (7 seats) / 2 666 (8 seats) \triangle |
|---------------------------------|---|
| Unladen weight (DIN) (kg) | 2 552 (5 seats) / 2 621 (7 seats) / 2 591 (8 seats) ▲ |
| Gross Vehicle Weight (GVW) (kg) | 3 380 |

DIMENSIONS

| Height (mm) | 1 970 |
|--------------------------------|--|
| Length (mm) | 5 099 (Without spare wheel) 5 358 (With spare wheel) |
| Width with mirrors folded (mm) | 2 008 |
| Width with mirrors out (mm) | 2 105 |
| Front wheel track (mm) | 1 707 (Air suspension) |
| Rear wheel track (mm) | 1 702 (Air suspension) |
| Wheelbase (mm) | 3 022 |
| | |

TOWING

| Unbraked trailer (kg) | 750 |
|---|-------|
| Maximum towing (kg) | 3 000 |
| Maximum coupling point (nose weight) (kg) | 120 |

HEADROOM

| Maximum front/rear headroom with standard roof (mm) | - |
|---|---|
| Maximum front/rear headroom with panoramic/fabric roof (mm) | 1 032 / 1 027 / NA (5 seats) / 1 032 / 995 / 990 (7 seats) / 1 032 / 1 027 / 990 (8 seats) |

| L | F | G | R | 0 | 0 | M | |
|---|---|---|---|---|---|---|--|
| | | | | | | | |

| Maximum front/rear legroom (mm) | 993 / 975 / NA (5 seats) / 993 / 984 / 865 (7 |
|---------------------------------|---|
| | seats) / 993 / 975 / 804 (8 seats) |

LOADSPACE CAPACITY

| Height (mm) | 905 |
|--|--|
| Width (mm) | 1 254 |
| Width between arches (mm) | 1 149 |
| Length behind first row (mm) | 2 111 (5 seats) / 2 064 (7 seats) / 2 072 (8 seats) |
| Maximum loadspace volume behind first row - Dry (I) | 2 078 (5 seats) / 1 864 (7 seats) / 1 876 (8 seats) <> |
| Maximum loadspace volume behind first row - Wet (I) | 2 516 (5 seats) / 2 223 (7 seats) / 2 291 (8 seats)◆ |
| Length behind second row (mm) | 1 267 (5 seats) / 1 206 (7 seats) 1 200 (8 seats) |
| Maximum loadspace volume behind second row - Dry (I) | 1 094 (5 seats) / 1 012 (7 seats) / 1 015 (8 seats) ↔ |
| Maximum loadspace volume behind second row - Wet (I) | 1 329 (5 seats) / 1 226 (7 seats) / 1 232 (8 seats) ♦ |
| Length behind third row (mm) | N/A (5 seats) / 398 (7 seats) / 398 (8 seats) |
| Maximum loadspace volume behind third row - Dry (I) | N/A (5 seats) / 290 (7 seats) / 290 (8 seats) ↔ |
| Maximum loadspace volume behind third row - Wet (I) | N/A (5 seats) / 389 (7 seats) / 389 (8 seats)◆ |
| | |

GROUND CLEARANCE - STANDARD

| Ride height (mm) | 218.5 (Air suspension) |
|------------------|------------------------|
| Approach Angle | 30.1° (Air suspension) |
| Departure Angle | 24.5° (Air suspension) |
| Ramp Angle | 22.0° (Air suspension) |

GROUND CLEARANCE - OFF ROAD

| Ride height (mm) | 293 (Air suspension) |
|------------------|--|
| Approach Angle | 37.6° (Air suspension) \triangledown |
| Departure Angle | 28.8° (Air suspension) ▽ |
| Ramp Angle | 27.9° (Air suspension) |

WADING DEPTH

| Maximum wading depth (mm) | 900 (Air suspension) |
|---------------------------|----------------------|
|---------------------------|----------------------|

TURNING CIRCLE

| Kerb-to-kerb (m) | 12.84 |
|-----------------------------------|-------|
| Wall-to-wall (m) | 13.1 |
| Turns lock-to-lock (no. of turns) | 2.7 |

NAVNIT MOTORS



022 41495111



nmjlrsales@navnitmotors.com



Metro Estate, 178, CST Road, Kalina, Santacruz East, Mumbai, Maharashtra, 400098



- ◆◆Market dependent availability.
- ‡Max speed is 209km/h when fitted with 22" wheels.
- ♦ Max speed is 191km/h when fitted with 20"" wheels.
- △ Includes a 75 kg driver, full fluids and 90% fuel.
- ▲ Includes full fluids and 90% fuel.
- ♦ Dynamic roof load allows for up to 118 kg/168 kg (90/110) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300 kg.
- ♦ Dry: Volume as measured with VDA-compliant solid blocks (200 mm x 50 mm x 100 mm).
- ♦Wet: Volume as measured by simulating the loadspace filled with liquid.
- ▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.
- ∇ With towing eye cover removed.
- ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights reflect vehicles to standard specifications. Optional extras increase weight.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

- PRIVACY POLICY
- TERMS AND CONDITIONS
- CONTACT US
- SELECT A COUNTRY
- © Jaguar Land Rover Limited 2025: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that many images cannot be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

