

Created for text sne

DEFENDER

DEFENDER V8 5,0 litre V8 387 kW Supercharged Petrol (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Fuji White
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Towing	Electrically deployable tow bar
Wheels	50.80 cm (20) Style 5098, Satin Dark Grey wheels
Tyres	All-Terrain Tyres
Spare Wheel Covers	Body-coloured Spare Wheel Cover
Brake calipers	Black brake calipers

INTERIOR



INTERIOR FEATURES

Seat Configuration

5 seats

Trim

Ebony Windsor leather and Kvadrat™ seats with Ebony interior

Finishers

Ebony finisher

Cross car beam

Cross car beam in Metallic Grey Powder Coat finish

Interior upgrades

Signature interior upgrade

Headlining

Ebony suedecloth headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Without roof rails

-

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Panoramic Rear Side Glass

-

HEADLIGHT WASH

Headlight power wash

Headlight power wash keeps your headlights clean, ensuring clear light in all conditions.

WINDSCREEN

Heated windscreen

Offers a quick and convenient way to defrost or demist the windscreen.

CONSOLE CONFIGURATION

Front centre console refrigerator compartment

Defender's seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY

14-way heated and cooled electric driver memory front seats with 4-way manual winged headrests

Personalise your comfort by setting and saving your driver seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

40:20:40 folding, heated rear seats with centre armrest

-

STEERING WHEEL

Leather steering wheel

A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

HEATED STEERING

Heated steering wheel

Heated steering wheel for the ultimate driver comfort in colder temperatures.

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Head-up Display	Presents key vehicle data, including speed, gear position and navigation directions, on the windscreen. It features crystal-clear, full-colour high-resolution graphics, enabling you to see all information with ease, including off-road driving information such as incline and camber angles.
Interactive Driver Display	The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

CONVENIENCE

ClearSight interior rear view mirror	<p>Innovation that drives safety. This technology provides an unobstructed view of the road behind you regardless of rear seat passengers or objects in the loadspace.</p> <p>Customers who wear varifocal or bifocal lenses may have issues adjusting to the mirror's digital mode. The normal mirror mode, however, can be used at any time.</p>
--------------------------------------	--

SUSPENSION

Electronic Air Suspension	A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.
---------------------------	---

SPARE WHEELS

50.80 cm (20) full size spare wheel	Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.
-------------------------------------	--

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

LOADSPACE

Flat Loadspace Floor Tray

-

STANDARD FEATURES

EXTERIOR FEATURES

V8 badge in Narvik Black	Gloss Black Grille Bar	Shadow Atlas front and rear skid pan
Shadow Atlas badging	Body-coloured bonnet	Black exposed rear recovery eyes
Solar attenuating windscreen	Soft close tail door	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side
Electric Parking Brake (EPB)	Brake pad wear indicator	Emergency Brake Assist
Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap
Heated rear window with timer	Rear wash wiper	Alpine lights
Side-hinged tailgate	Standard tail door	Quad outboard mounted exhaust pipes

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather and Kvadrat™ seats	Electrically adjustable steering column	Satin Chrome gearshift paddles
Twin front cupholders	Sunvisors with illuminated vanity mirrors	Air Quality Sensor

INTERIOR FEATURES

Cabin Air Purification Plus	Three-zone Climate Control	Bright metal pedals
Footwell lights	Illuminated metal treadplates with V8 branding	Configurable Cabin Lighting
Glovebox storage	Rear centre headrest	Rear reading lights
Durable rubber cabin flooring	Carpet mats	Durable rubber loadspace flooring
Flat Loadspace Floor Tray	Hook(s) in loadspace	Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Surround Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

ClearSight interior rear view mirror	Remote	Wireless device charging
Domestic plug socket	Keyless Entry	

TOWING

Advanced Tow Assist

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Intrusion sensor

Tyre Pressure Monitoring System (TPMS)

Locking wheel nuts

Customer Configurable Autolock

Power operated child locks

Seat belt reminder

Rear ISOFIX

Push Button Start

Front airbags, with passenger seat occupant detector

TRANSMISSION AND DYNAMICS

Adaptive Off-Road Cruise Control

Adaptive Dynamics

Terrain Response 2 with Dynamic Program

Configurable Terrain Response

Electronic Active Differential with Torque Vectoring by Braking

All Wheel Drive (AWD)

Twin-speed transfer box (high/low range)

8-speed Automatic Transmission

Hill Launch Assist

Electric Power Assisted Steering (EPAS)

Dynamic Stability Control (DSC)

Low traction launch

Electronic Traction Control (ETC)

Roll Stability Control (RSC)

Cornering Brake Control (CBC)

Hill Descent Control (HDC)

Brake Hold

DRIVER ASSISTANCE

3D Surround Camera

360° Parking Aid

Adaptive Cruise Control

Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)

Lane Keep Assist (Not available in India)

Wade Sensing

Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	240◇
Acceleration (s) 0-100 km/h	5.2

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	5 000
Maximum power (kW/r/min)	386 / 6 500
Maximum torque (Nm/r/min)	625 / 2 500 - 5 500
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 546 (5 Seat) △
Unladen weight (DIN) (kg)	2 471 (5 Seat) ▲
Gross Vehicle Weight (GVW) (kg)	3 040 (5 Seat)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 540

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	0 (All-season tyres) ▼
---	------------------------

DIMENSIONS

Height (mm)	1 969 (Air Suspension)
Length (mm)	4 323 (Without spare wheel) 4 583 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 706 (Air Suspension)
Rear wheel track (mm)	1 702 (Air Suspension)
Wheelbase (mm)	2 587

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 030 / 980 / NA
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 030 / 946 / NA

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 929 / NA
---	----------------

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 183
Width between arches (mm)	1 124
Length behind first row (mm)	1 313
Maximum loadspace volume behind first row - Dry (l)	1 263◇
Maximum loadspace volume behind first row - Wet (l)	1 563◆
Length behind second row (mm)	460
Maximum loadspace volume behind second row - Dry (l)	297◇
Maximum loadspace volume behind second row - Wet (l)	397◆

LOADSPACE CAPACITY

Length behind third row (mm)	-
Maximum loadspace volume behind third row - Dry (l)	-
Maximum loadspace volume behind third row - Wet (l)	-

GROUND CLEARANCE - STANDARD

Ride height (mm)	216 (Air suspension)
Approach Angle	30.1° (Air suspension)
Departure Angle	33.5° (Air suspension)
Ramp Angle	24.2° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	295 (Air Suspension)
Approach Angle	37.4° (Air suspension) ▽
Departure Angle	39.8° (Air suspension) ▽
Ramp Angle	30.7° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	900 (Air suspension)
---------------------------	----------------------

TECHNICAL SPECIFICATIONS

TURNING CIRCLE

Kerb-to-kerb (m)	11.3
Wall-to-wall (m)	12.0
Turns lock-to-lock (no. of turns)	2.7

YOUR CONFIGURATION

https://buildyour.landrover.in/lr/en_in/l663_k26/4crr0/a-90_a-sv8/ipr/reserve

4/28/26, 12:51 PM




MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER X-DYNAMIC HSE Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Fuji White
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5098, Satin Dark Grey wheels
Tyres	All-Terrain Tyres
Spare Wheel Covers	Without Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Ebony Windsor leather seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Light Cloud Powder Coat finish
Interior upgrades	Extended Leather Upgrade
Headlining	Ebony Morzine headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Without roof rails

-

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Panoramic Rear Side Glass

-

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric driver memory front seats with 4-way manual headrests

Includes driver's powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- Power squab bolster
- 4-way lumbar

Manual headrest height, forward/backward adjustment
Driver seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

40:20:40 folding rear seats with centre armrest

-

STEERING WHEEL

Standard leather steering wheel

This comfortable steering wheel places a number of Defender's primary functions at your fingertips. Incorporates PU covered airbag cover.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Without Head-up Display

-

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Coil suspension

A fully independent coil sprung suspension system that combines double wishbones at the front with an advanced multi-link rear suspension design to create an agile and responsive chassis. Ride comfort and stability when heavily laden are optimised through the use of secondary spring aids incorporated within the rear suspension.

Note: When coil suspension is selected, Electronic Air Suspension and Adaptive Dynamics will be removed.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

LOADSPACE

Flat Loadspace Floor Tray

-

STANDARD FEATURES

EXTERIOR FEATURES

Gloss Black Grille Bar	Graphite Atlas Matte Lettering	Satin Carpathian Grey front and rear skid pan
Body-coloured bonnet	Black exposed rear recovery eyes	Soft close tail door
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)	Brake pad wear indicator
Emergency Brake Assist	Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)
Electric windows with one-touch open/close and anti-trap	Heated rear window with timer	Rear wash wiper
Alpine lights	Side-hinged tailgate	Standard tail door
County graphic decal		

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather seats	Electrically adjustable steering column	Twin front cupholders
Sunvisors with illuminated vanity mirrors	Two-zone Climate Control	Footwell lights

INTERIOR FEATURES

Standard treadplates

Configurable Cabin Lighting

Glovebox storage

Rear centre headrest

Rear reading lights

Durable rubber cabin flooring

Carpet mats

Durable rubber loadspace flooring

Flat Loadspace Floor Tray

Hook(s) in loadspace

Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen

Android Auto™ (subject to availability)

Apple CarPlay® (subject to availability)

Pivi Pro (Connected)

Meridian™ Sound System

AM/FM radio

12V power socket in loadspace

CONVENIENCE

Auto-dimming interior rear view mirror

Remote

Wireless device charging

Keyless Entry

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Intrusion sensor	Tyre Pressure Monitoring System (TPMS)	Locking wheel nuts
Customer Configurable Autolock	Power operated child locks	Seat belt reminder
Rear ISOFIX	Push Button Start	Front airbags, with passenger seat occupant detector

TRANSMISSION AND DYNAMICS

Terrain Response	All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)
8-speed Automatic Transmission	Hill Launch Assist	Electric Power Assisted Steering (EPAS)
Dynamic Stability Control (DSC)	Low traction launch	Electronic Traction Control (ETC)
Roll Stability Control (RSC)	Cornering Brake Control (CBC)	Hill Descent Control (HDC)
Brake Hold		

DRIVER ASSISTANCE

3D Surround Camera	360° Parking Aid	Adaptive Cruise Control
Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)	Lane Keep Assist (Not available in India)	Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	6.2

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 316 (5 seats) / 2 339 (6 seats) △
Unladen weight (DIN) (kg)	2 241 (5 seats) / 2 264 (6 seats) ▲
Gross Vehicle Weight (GVW) (kg)	2 970 (5 seats) / 3 050 (6 seats)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 470 (5 seats) / 6 550 (6 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	80 (All-season tyres) / 118 (All-Terrain Tyres) ◇
---	---

DIMENSIONS

Height (mm)	1 974 (Coil suspension) 1 969 (Air suspension)
Length (mm)	4 323 (Without spare wheel) 4 583 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 704 (Coil suspension) 1 706 (Air suspension)
Rear wheel track (mm)	1 700 (Coil suspension) 1 702 (Air Suspension)
Wheelbase (mm)	2 587

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 030 / 980 / NA
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 030 / 946 / NA

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 929 / NA
---	----------------

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 183
Width between arches (mm)	1 124
Length behind first row (mm)	1 313
Maximum loadspace volume behind first row - Dry (l)	1 263◇
Maximum loadspace volume behind first row - Wet (l)	1 563◆
Length behind second row (mm)	460
Maximum loadspace volume behind second row - Dry (l)	297◇
Maximum loadspace volume behind second row - Wet (l)	397◆

LOADSPACE CAPACITY

Length behind third row (mm)	-
Maximum loadspace volume behind third row - Dry (l)	-
Maximum loadspace volume behind third row - Wet (l)	-

GROUND CLEARANCE - STANDARD

Ride height (mm)	225 (Coil suspension) 216 (Air suspension)
Approach Angle	31.0° (Coil suspension) 30.1° (Air suspension)
Departure Angle	37.9° (Coil suspension) 37.6° (Air suspension)
Ramp Angle	25.0° (Coil suspension) 24.2° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	226 (Coil suspension) 294 (Air Suspension)
Approach Angle	31.6° (Coil suspension) ▽ 37.5° (Air suspension) ▽
Departure Angle	38.0° (Coil suspension) ▽ 41.9° (Air suspension) ▽
Ramp Angle	24.2° (Coil suspension) 30.7° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	850 (Coil suspension) 900 (Air suspension)
---------------------------	--

TURNING CIRCLE

Kerb-to-kerb (m)	11.3
------------------	------

Wall-to-wall (m)	12.0
------------------	------


Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER X 5,0 litre V8 313 kW Supercharged Petrol (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Gondwana Stone
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Black contrast bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5095, Diamond Turned wheels with Gloss Dark Grey contrast
Tyres	All-Terrain Tyres
Spare Wheel Covers	Without Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Ebony Windsor leather and Kvadrat™ seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Metallic Grey Powder Coat finish
Interior upgrades	Signature interior upgrade
Headlining	Ebony suedecloth headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Without roof rails

-

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Panoramic Rear Side Glass

-

HEADLIGHT WASH

Headlight power wash

Headlight power wash keeps your headlights clean, ensuring clear light in all conditions.

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric driver memory front seats with 4-way manual winged headrests

Personalise your comfort by setting and saving your driver seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

40:20:40 folding, heated rear seats with centre armrest

-

STEERING WHEEL

Leather steering wheel

A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Head-up Display	Presents key vehicle data, including speed, gear position and navigation directions, on the windscreen. It features crystal-clear, full-colour high-resolution graphics, enabling you to see all information with ease, including off-road driving information such as incline and camber angles.
Interactive Driver Display	The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

CONVENIENCE

ClearSight interior rear view mirror	<p>Innovation that drives safety. This technology provides an unobstructed view of the road behind you regardless of rear seat passengers or objects in the loadspace.</p> <p>Customers who wear varifocal or bifocal lenses may have issues adjusting to the mirror's digital mode. The normal mirror mode, however, can be used at any time.</p>
--------------------------------------	--

SUSPENSION

Electronic Air Suspension	A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.
---------------------------	---

SPARE WHEELS

50.80 cm (20) full size spare wheel	Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.
-------------------------------------	--

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

LOADSPACE

Flat Loadspace Floor Tray

-

STANDARD FEATURES

EXTERIOR FEATURES

X badge	Gloss Black Grille Bar	Gloss Black Bonnet Chequer Finisher
Narvik Black Bonnet Lettering	Narvik Black Front and Rear Skidpans	Narvik Black Tailgate Lettering
Orange brake calipers	Orange exposed rear recovery eyes	Solar attenuating windscreen
Soft close tail door	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)
Brake pad wear indicator	Emergency Brake Assist	Anti-lock Braking System (ABS)
Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap	Heated rear window with timer
Rear wash wiper	Alpine lights	Side-hinged tailgate
Standard tail door	Quad outboard mounted exhaust pipes	

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather and Kvadrat™ seats	Electrically adjustable steering column	Twin front cupholders
------------------------------------	---	-----------------------

INTERIOR FEATURES

Sunvisors with illuminated vanity mirrors	Two-zone Climate Control	Bright metal pedals
Footwell lights	Illuminated metal treadplates with DEFENDER script	Configurable Cabin Lighting
Glovebox storage	Rear centre headrest	Rear reading lights
Durable rubber cabin flooring	Carpet mats	Durable rubber loadspace flooring
Flat Loadspace Floor Tray	Hook(s) in loadspace	Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Surround Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

ClearSight interior rear view mirror	Remote	Wireless device charging
Domestic plug socket	Keyless Entry	

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Intrusion sensor

Tyre Pressure Monitoring System (TPMS)

Locking wheel nuts

Customer Configurable Autolock

Power operated child locks

Seat belt reminder

Rear ISOFIX

Push Button Start

Front airbags, with passenger seat occupant detector

TRANSMISSION AND DYNAMICS

Adaptive Off-Road Cruise Control

Adaptive Dynamics

Terrain Response 2

Configurable Terrain Response

Electronic Active Differential with Torque Vectoring by Braking

All Wheel Drive (AWD)

Twin-speed transfer box (high/low range)

8-speed Automatic Transmission

Hill Launch Assist

Electric Power Assisted Steering (EPAS)

Dynamic Stability Control (DSC)

Low traction launch

Electronic Traction Control (ETC)

Roll Stability Control (RSC)

Cornering Brake Control (CBC)

Hill Descent Control (HDC)

Brake Hold

DRIVER ASSISTANCE

3D Surround Camera

360° Parking Aid

Adaptive Cruise Control

Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)

Lane Keep Assist (Not available in India)

Wade Sensing

Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	5.6

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	5 000
Maximum power (kW/r/min)	313 / 5 500 - 6 600
Maximum torque (Nm/r/min)	550 / 1 800 - 5 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 300 (5 seats) / 2 323 (6 seats) △
Unladen weight (DIN) (kg)	2 225 (5 seats) / 2 248 (6 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3 040 (5 seats) / 3 040 (6 seats)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 540 (5 seats) / 6 540 (6 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	80 (All-season tyres) / 118 (All-Terrain Tyres) ◇
---	---

DIMENSIONS

Height (mm)	1 969 (Air Suspension)
Length (mm)	4 323 (Without spare wheel) 4 583 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 706 (Air Suspension)
Rear wheel track (mm)	1 702 (Air Suspension)
Wheelbase (mm)	2 587

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 030 / 980 / NA
---	------------------

Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 030 / 946 / NA
---	------------------

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 929 / NA
---	----------------

LOADSPACE CAPACITY

Height (mm)	904
-------------	-----

Width (mm)	1 183
------------	-------

Width between arches (mm)	1 124
---------------------------	-------

Length behind first row (mm)	1 313
------------------------------	-------

Maximum loadspace volume behind first row - Dry (l)	1 263↕
---	--------

Maximum loadspace volume behind first row - Wet (l)	1 563◆
---	--------

Length behind second row (mm)	460
-------------------------------	-----

Maximum loadspace volume behind second row - Dry (l)	297↕
--	------

Maximum loadspace volume behind second row - Wet (l)	397◆
--	------

LOADSPACE CAPACITY

Length behind third row (mm)	-
------------------------------	---

Maximum loadspace volume behind third row - Dry (l)	-
---	---

Maximum loadspace volume behind third row - Wet (l)	-
---	---

GROUND CLEARANCE - STANDARD

Ride height (mm)	216 (Air suspension)
------------------	----------------------

Approach Angle	30.1° (Air suspension)
----------------	------------------------

Departure Angle	33.5° (Air suspension)
-----------------	------------------------

Ramp Angle	24.2° (Air suspension)
------------	------------------------

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	295 (Air Suspension)
------------------	----------------------

Approach Angle	37.4° (Air suspension) ▽
----------------	--------------------------

Departure Angle	39.8° (Air suspension) ▽
-----------------	--------------------------

Ramp Angle	30.7° (Air suspension)
------------	------------------------

WADING DEPTH

Maximum wading depth (mm)	900 (Air suspension)
---------------------------	----------------------

TURNING CIRCLE


Kerb-to-kerb (m)	11.3
Wall-to-wall (m)	12.0
Turns lock-to-lock (no. of turns)	2.7

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER TROPHY EDITION in KESWICK GREEN Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Keswick Green
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Black contrast bonnet
Glass	Clear glass
Scuff Plate	Dark Rear Scuff Plate
Wheel Arch	Gloss Black Wheel Arch Protection
Decal	Trophy Edition bonnet decal
Front Undershield	Black Front Undershield
Wheels	50.80 cm (20) Style 9013, Gloss Black wheels
Tyres	All-Terrain Tyres
Brake calipers	Black brake calipers

INTERIOR



INTERIOR FEATURES

Seat Configuration

5 seats

Trim

Ebony Windsor leather seats with Ebony interior

Finishers

Ebony finisher

Cross car beam

Cross car beam in Keswick Green

Interior upgrades

Standard interior

Headlining

Ebony Morzine headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

LED headlights with signature DRL

Premium LED headlights feature the distinct exterior graphic of the Signature Daytime Running Lights (DRL).

EXTERIOR FEATURES

Auto High Beam Assist (AHBA)

The high beam automatically dips when oncoming traffic is detected. Full height is restored when vehicles have passed.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Front centre console refrigerator compartment

Defender's seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual headrests

Includes driver's/passenger powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- Power squab bolster
- 4-way lumbar

Driver & Passenger seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

40:20:40 folding rear seats with centre armrest

-

STEERING WHEEL

Standard non-leather steering wheel

Feel the comfort at every turn with this non-leather steering wheel finish.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Resist gearshift

The ideal finishing touch to our Resist and Resolve, Resist, and Ultrafabrics™ trims, finished in non-leather PVU soft-grain material.

DISPLAY

Without Head-up Display

-

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Coil suspension

A fully independent coil sprung suspension system that combines double wishbones at the front with an advanced multi-link rear suspension design to create an agile and responsive chassis. Ride comfort and stability when heavily laden are optimised through the use of secondary spring aids incorporated within the rear suspension.

Note: When coil suspension is selected, Electronic Air Suspension and Adaptive Dynamics will be removed.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

STANDARD FEATURES

EXTERIOR FEATURES

Keswick Green exterior paint	Trophy Edition badge	Gloss Black Grille Bar
Black contrast Signature Graphic	Black contrast bonnet	Black exposed rear recovery eyes
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)	Brake pad wear indicator
Emergency Brake Assist	Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)
Electric windows with one-touch open/close and anti-trap	Heated rear window with timer	Rear wash wiper
Alpine lights	Side-hinged tailgate	Standard tail door

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather seats	Illuminated metal treadplates with Trophy Edition branding	IP end caps laser etched with Trophy Edition graphic
Manually adjustable steering column	Twin front cupholders	Sunvisors with illuminated vanity mirrors
Air Quality Sensor	Cabin Air Purification Plus	Three-zone Climate Control with Rear Cooling Assist

INTERIOR FEATURES

Footwell lights

Configurable Cabin Lighting

Glovebox storage

Rear centre headrest

Rear reading lights

Durable rubber cabin flooring

Carpet mats

Durable rubber loadspace flooring

Hook(s) in loadspace

Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen

Android Auto™ (subject to availability)

Apple CarPlay® (subject to availability)

Pivi Pro (Connected)

Meridian™ Sound System

AM/FM radio

12V power socket in loadspace

CONVENIENCE

Auto-dimming interior rear view mirror

Remote

Wireless device charging

Domestic plug socket

Keyless Entry

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX	Intrusion sensor	Tyre Pressure Monitoring System (TPMS)
Locking wheel nuts	Customer Configurable Autolock	Power operated child locks
Seat belt reminder	Rear ISOFIX	Push Button Start
Front airbags, with passenger seat occupant detector		

TRANSMISSION AND DYNAMICS

Terrain Response	All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)
8-speed Automatic Transmission	Hill Launch Assist	Electric Power Assisted Steering (EPAS)
Dynamic Stability Control (DSC)	Low traction launch	Electronic Traction Control (ETC)
Roll Stability Control (RSC)	Cornering Brake Control (CBC)	Hill Descent Control (HDC)
Brake Hold		

DRIVER ASSISTANCE

3D Surround Camera	360° Parking Aid	Adaptive Cruise Control
Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)	Lane Keep Assist (Not available in India)	Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	6.4

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 436 (5 seats) / 2 506 (5+2 seats) △
Unladen weight (DIN) (kg)	2 361 (5 seats) / 2 431 (5+2 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3 200 (5 seats) / 3 280 (5+2 seats)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500 (5 seats) / 3 495 (5+2 seats)
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 700 (5 seats) / 6 775 (5+2 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) ◇
---	--

DIMENSIONS

Height (mm)	1 972 (Coil suspension) 1 967 (Air suspension)
Length (mm)	4 758 (Without spare wheel) 5 018 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 704 (Coil suspension) 1 706 (Air suspension)
Rear wheel track (mm)	1 700 (Coil suspension) 1 702 (Air Suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 992 / NA (5 seats) 993 / 975 / 517 (5+2 seats)
---	--

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 211 (5 seats) / 1 188 (5+2 seats)
Width between arches (mm)	1 160
Length behind first row (mm)	1 763 (5 seats) / 1 789 (5+2 seats)
Maximum loadspace volume behind first row - Dry (l)	1 875 (5 seats) / 1 826 (5+2 seats)↕
Maximum loadspace volume behind first row - Wet (l)	2 277 (5 seats) / 2 233 (5+2 seats)◆
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Dry (l)	786 (5 seats) / 743 (5+2 seats)↕
Maximum loadspace volume behind second row - Wet (l)	972 (5 seats) / 916 (5+2 seats)◆

LOADSPACE CAPACITY

Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (l)	160↕
Maximum loadspace volume behind third row - Wet (l)	231◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	228 (Coil suspension) 218 (Air suspension)
Approach Angle	31.2° (Coil suspension) 30.1° (Air suspension)
Departure Angle	37.8° (Coil suspension) 37.7° (Air suspension)
Ramp Angle	22.6° (Coil suspension) 22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	226 (Coil Suspension) 293 (Air Suspension)
Approach Angle	32.0° (Coil suspension) ▽ 37.6° (Air suspension) ▽
Departure Angle	37.7° (Coil suspension) ▽ 41.9° (Air suspension) ▽
Ramp Angle	22.2° (Coil suspension) 27.9° (Air suspension)

TECHNICAL SPECIFICATIONS

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) 900 (Air Suspension)
---------------------------	--

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
------------------	-------

Wall-to-wall (m)	13.1
------------------	------

Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

YOUR CONFIGURATION

https://buildyour.landrover.in/lr/en_in/l663_k26/4crr0/a-110_a-le18/ipr/reserve

4/27/26, 11:05 AM




MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER X Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Woolstone Green
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Black contrast bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5095, Diamond Turned wheels with Gloss Dark Grey contrast
Tyres	All-Terrain Tyres
Spare Wheel Covers	Without Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration

5 seats

Trim

Ebony Windsor leather and Kvadrat™ seats with Ebony interior

Finishers

Ebony finisher

Cross car beam

Cross car beam in Metallic Grey Powder Coat finish

Interior upgrades

Signature interior upgrade

Headlining

Ebony suedecloth headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic

Defender's signature graphic demonstrating its strength and proportions.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual winged headrests

Personalise your comfort by setting and saving your seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

40:20:40 folding, heated rear seats with winged headrests and centre armrest

-

STEERING WHEEL

Leather steering wheel

A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Head-up Display

Presents key vehicle data, including speed, gear position and navigation directions, on the windscreen. It features crystal-clear, full-colour high-resolution graphics, enabling you to see all information with ease, including off-road driving information such as incline and camber angles.

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

CONVENIENCE

ClearSight interior rear view mirror

Innovation that drives safety. This technology provides an unobstructed view of the road behind you regardless of rear seat passengers or objects in the loadspace.

Customers who wear varifocal or bifocal lenses may have issues adjusting to the mirror's digital mode. The normal mirror mode, however, can be used at any time.

SUSPENSION

Electronic Air Suspension

A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

STANDARD FEATURES

EXTERIOR FEATURES

X badge	Gloss Black Grille Bar	Gloss Black Bonnet Chequer Finisher
Narvik Black Bonnet Lettering	Narvik Black Front and Rear Skidpans	Narvik Black Tailgate Lettering
Orange brake calipers	Orange exposed rear recovery eyes	Solar attenuating windscreen
Soft close tail door	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)
Brake pad wear indicator	Emergency Brake Assist	Anti-lock Braking System (ABS)
Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap	Heated rear window with timer
Rear wash wiper	Alpine lights	Side-hinged tailgate
Standard tail door		

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather and Kvadrat™ seats	Electrically adjustable steering column	Twin front cupholders
------------------------------------	---	-----------------------

INTERIOR FEATURES

Sunvisors with illuminated vanity mirrors	Two-zone Climate Control	Bright metal pedals
Footwell lights	Illuminated metal treadplates with DEFENDER script	Configurable Cabin Lighting
Glovebox storage	Rear centre headrest	Rear reading lights
Durable rubber cabin flooring	Carpet mats	Durable rubber loadspace flooring
Hook(s) in loadspace	Loadspace cover	

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Surround Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

ClearSight interior rear view mirror	Remote	Wireless device charging
Domestic plug socket	Keyless Entry	

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX

Intrusion sensor

Tyre Pressure Monitoring System (TPMS)

Locking wheel nuts

Customer Configurable Autolock

Power operated child locks

Seat belt reminder

Rear ISOFIX

Push Button Start

Front airbags, with passenger seat occupant detector

TRANSMISSION AND DYNAMICS

Adaptive Off-Road Cruise Control

Adaptive Dynamics

Terrain Response 2

Configurable Terrain Response

Electronic Active Differential with Torque Vectoring by Braking

All Wheel Drive (AWD)

Twin-speed transfer box (high/low range)

8-speed Automatic Transmission

Hill Launch Assist

Electric Power Assisted Steering (EPAS)

Dynamic Stability Control (DSC)

Low traction launch

Electronic Traction Control (ETC)

Roll Stability Control (RSC)

Cornering Brake Control (CBC)

Hill Descent Control (HDC)

Brake Hold

DRIVER ASSISTANCE

3D Surround Camera

360° Parking Aid

Adaptive Cruise Control

Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)

Lane Keep Assist (Not available in India)

Wade Sensing

Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	6.4

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 436 (5 seats) / 2 506 (5+2 seats) △
Unladen weight (DIN) (kg)	2 361 (5 seats) / 2 431 (5+2 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3 200 (5 seats) / 3 280 (5+2 seats)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500 (5 seats) / 3 495 (5+2 seats)
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 700 (5 seats) / 6 775 (5+2 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) ◇
---	--

DIMENSIONS

Height (mm)	1 972 (Coil suspension) 1 967 (Air suspension)
Length (mm)	4 758 (Without spare wheel) 5 018 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 704 (Coil suspension) 1 706 (Air suspension)
Rear wheel track (mm)	1 700 (Coil suspension) 1 702 (Air Suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 992 / NA (5 seats) 993 / 975 / 517 (5+2 seats)
---	--

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 211 (5 seats) / 1 188 (5+2 seats)
Width between arches (mm)	1 160
Length behind first row (mm)	1 763 (5 seats) / 1 789 (5+2 seats)
Maximum loadspace volume behind first row - Dry (l)	1 875 (5 seats) / 1 826 (5+2 seats)↔
Maximum loadspace volume behind first row - Wet (l)	2 277 (5 seats) / 2 233 (5+2 seats)◆
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Dry (l)	786 (5 seats) / 743 (5+2 seats)↔
Maximum loadspace volume behind second row - Wet (l)	972 (5 seats) / 916 (5+2 seats)◆

LOADSPACE CAPACITY

Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (l)	160↔
Maximum loadspace volume behind third row - Wet (l)	231◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	(Coil suspension) 218 (Air suspension)
Approach Angle	° (Coil suspension) 30.1° (Air suspension)
Departure Angle	° (Coil suspension) 37.7° (Air suspension)
Ramp Angle	° (Coil suspension) 22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	293 (Air Suspension)
Approach Angle	37.6° (Air suspension) ▽
Departure Angle	41.9° (Air suspension) ▽
Ramp Angle	27.9° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) 900 (Air Suspension)
---------------------------	--

TURNING CIRCLE


Kerb-to-kerb (m)	12.84
Wall-to-wall (m)	13.1
Turns lock-to-lock (no. of turns)	2.7

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER X-DYNAMIC HSE Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Woolstone Green
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Visual Packs	Extended Black Exterior Pack
Wheels	50.80 cm (20) Style 5098, Satin Dark Grey wheels
Tyres	All-Terrain Tyres
Spare Wheel Covers	Without Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Ebony Windsor leather seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Light Cloud Powder Coat finish
Interior upgrades	Extended Leather Upgrade
Headlining	Ebony Morzine headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic

Defender's signature graphic demonstrating its strength and proportions.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual headrests

Includes driver's/passenger powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- Power squab bolster
- 4-way lumbar

Driver & Passenger seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

40:20:40 folding rear seats with centre armrest

-

STEERING WHEEL

Standard leather steering wheel

This comfortable steering wheel places a number of Defender's primary functions at your fingertips. Incorporates PU covered airbag cover.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Without Head-up Display

-

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Coil suspension

A fully independent coil sprung suspension system that combines double wishbones at the front with an advanced multi-link rear suspension design to create an agile and responsive chassis. Ride comfort and stability when heavily laden are optimised through the use of secondary spring aids incorporated within the rear suspension.

Note: When coil suspension is selected, Electronic Air Suspension and Adaptive Dynamics will be removed.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Condition Monitor

Stay sharp. Stay safe. The Driver Condition Monitor keeps you alert, detecting fatigue and advising when to take a break.

STANDARD FEATURES

EXTERIOR FEATURES

Gloss Black Grille Bar	Graphite Atlas Matte Lettering	Satin Carpathian Grey front and rear skid pan
Body-coloured bonnet	Black exposed rear recovery eyes	Soft close tail door
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Third Row fixed panoramic roof	Electric Parking Brake (EPB)
Brake pad wear indicator	Emergency Brake Assist	Anti-lock Braking System (ABS)
Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap	Heated rear window with timer
Rear wash wiper	Alpine lights	Side-hinged tailgate
Standard tail door	County graphic decal	

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather seats	Electrically adjustable steering column	Twin front cupholders
Sunvisors with illuminated vanity mirrors	Two-zone Climate Control	Footwell lights

INTERIOR FEATURES

Standard treadplates	Configurable Cabin Lighting	Glovebox storage
Rear centre headrest	Rear reading lights	Durable rubber cabin flooring
Carpet mats	Durable rubber loadspace flooring	Hook(s) in loadspace
Loadspace cover		

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

Auto-dimming interior rear view mirror	Remote	Wireless device charging
Keyless Entry		

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX	Intrusion sensor	Tyre Pressure Monitoring System (TPMS)
Locking wheel nuts	Customer Configurable Autolock	Power operated child locks
Seat belt reminder	Rear ISOFIX	Push Button Start
Front airbags, with passenger seat occupant detector		

TRANSMISSION AND DYNAMICS

Terrain Response	All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)
8-speed Automatic Transmission	Hill Launch Assist	Electric Power Assisted Steering (EPAS)
Dynamic Stability Control (DSC)	Low traction launch	Electronic Traction Control (ETC)
Roll Stability Control (RSC)	Cornering Brake Control (CBC)	Hill Descent Control (HDC)
Brake Hold		

DRIVER ASSISTANCE

3D Surround Camera	360° Parking Aid	Adaptive Cruise Control
Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)	Lane Keep Assist (Not available in India)	Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	6.4

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 436 (5 seats) / 2 506 (5+2 seats) △
Unladen weight (DIN) (kg)	2 361 (5 seats) / 2 431 (5+2 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3 200 (5 seats) / 3 280 (5+2 seats)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500 (5 seats) / 3 495 (5+2 seats)
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 700 (5 seats) / 6 775 (5+2 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) ◇
---	--

DIMENSIONS

Height (mm)	1 972 (Coil suspension) 1 967 (Air suspension)
Length (mm)	4 758 (Without spare wheel) 5 018 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 704 (Coil suspension) 1 706 (Air suspension)
Rear wheel track (mm)	1 700 (Coil suspension) 1 702 (Air Suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 992 / NA (5 seats) 993 / 975 / 517 (5+2 seats)
---	--

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 211 (5 seats) / 1 188 (5+2 seats)
Width between arches (mm)	1 160
Length behind first row (mm)	1 763 (5 seats) / 1 789 (5+2 seats)
Maximum loadspace volume behind first row - Dry (l)	1 875 (5 seats) / 1 826 (5+2 seats)↕
Maximum loadspace volume behind first row - Wet (l)	2 277 (5 seats) / 2 233 (5+2 seats)◆
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Dry (l)	786 (5 seats) / 743 (5+2 seats)↕
Maximum loadspace volume behind second row - Wet (l)	972 (5 seats) / 916 (5+2 seats)◆

LOADSPACE CAPACITY

Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (l)	160↕
Maximum loadspace volume behind third row - Wet (l)	231◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	228 (Coil suspension) 218 (Air suspension)
Approach Angle	31.2° (Coil suspension) 30.1° (Air suspension)
Departure Angle	37.8° (Coil suspension) 37.7° (Air suspension)
Ramp Angle	22.6° (Coil suspension) 22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	226 (Coil Suspension) 293 (Air Suspension)
Approach Angle	32.0° (Coil suspension) ▽ 37.6° (Air suspension) ▽
Departure Angle	37.7° (Coil suspension) ▽ 41.9° (Air suspension) ▽
Ramp Angle	22.2° (Coil suspension) 27.9° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) 900 (Air Suspension)
---------------------------	--

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
------------------	-------

Wall-to-wall (m)	13.1
------------------	------


Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER TROPHY EDITION in SANDGLOW YELLOW Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Deep Sandglow Yellow
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Black contrast bonnet
Glass	Clear glass
Scuff Plate	Dark Rear Scuff Plate
Wheel Arch	Gloss Black Wheel Arch Protection
Decal	Trophy Edition bonnet decal
Front Undershield	Black Front Undershield
Wheels	50.80 cm (20) Style 9013, Gloss Black wheels
Tyres	All-Terrain Tyres
Brake calipers	Black brake calipers

INTERIOR



INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Ebony Windsor leather seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Deep Sandglow Yellow
Interior upgrades	Standard interior
Headlining	Ebony Morzine headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

LED headlights with signature DRL

Premium LED headlights feature the distinct exterior graphic of the Signature Daytime Running Lights (DRL).

EXTERIOR FEATURES

Auto High Beam Assist (AHBA)

The high beam automatically dips when oncoming traffic is detected. Full height is restored when vehicles have passed.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Front centre console refrigerator compartment

Defender's seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual headrests

Includes driver's/passenger powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- Power squab bolster
- 4-way lumbar

Driver & Passenger seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

40:20:40 folding rear seats with centre armrest

-

STEERING WHEEL

Standard non-leather steering wheel

Feel the comfort at every turn with this non-leather steering wheel finish.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Resist gearshift	The ideal finishing touch to our Resist and Resolve, Resist, and Ultrafabrics™ trims, finished in non-leather PVU soft-grain material.
------------------	--

DISPLAY

Without Head-up Display	-
Interactive Driver Display	The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Coil suspension	A fully independent coil sprung suspension system that combines double wishbones at the front with an advanced multi-link rear suspension design to create an agile and responsive chassis. Ride comfort and stability when heavily laden are optimised through the use of secondary spring aids incorporated within the rear suspension. Note: When coil suspension is selected, Electronic Air Suspension and Adaptive Dynamics will be removed.
-----------------	---

SPARE WHEELS

50.80 cm (20) full size spare wheel	Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.
-------------------------------------	--

DRIVER ASSISTANCE

Driver Attention Monitor	The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.
--------------------------	---

STANDARD FEATURES

EXTERIOR FEATURES

Deep Sandglow Yellow exterior paint	Trophy Edition badge	Gloss Black Grille Bar
Black contrast Signature Graphic	Black contrast bonnet	Black exposed rear recovery eyes
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Electric Parking Brake (EPB)	Brake pad wear indicator
Emergency Brake Assist	Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)
Electric windows with one-touch open/close and anti-trap	Heated rear window with timer	Rear wash wiper
Alpine lights	Side-hinged tailgate	Standard tail door

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather seats	Illuminated metal treadplates with Trophy Edition branding	IP end caps laser etched with Trophy Edition graphic
Manually adjustable steering column	Twin front cupholders	Sunvisors with illuminated vanity mirrors
Air Quality Sensor	Cabin Air Purification Plus	Three-zone Climate Control with Rear Cooling Assist

INTERIOR FEATURES

Footwell lights	Configurable Cabin Lighting	Glovebox storage
Rear centre headrest	Rear reading lights	Durable rubber cabin flooring
Carpet mats	Durable rubber loadspace flooring	Hook(s) in loadspace
Loadspace cover		

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

Auto-dimming interior rear view mirror	Remote	Wireless device charging
Domestic plug socket	Keyless Entry	

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX	Intrusion sensor	Tyre Pressure Monitoring System (TPMS)
Locking wheel nuts	Customer Configurable Autolock	Power operated child locks
Seat belt reminder	Rear ISOFIX	Push Button Start
Front airbags, with passenger seat occupant detector		

TRANSMISSION AND DYNAMICS

Terrain Response	All Wheel Drive (AWD)	Twin-speed transfer box (high/low range)
8-speed Automatic Transmission	Hill Launch Assist	Electric Power Assisted Steering (EPAS)
Dynamic Stability Control (DSC)	Low traction launch	Electronic Traction Control (ETC)
Roll Stability Control (RSC)	Cornering Brake Control (CBC)	Hill Descent Control (HDC)
Brake Hold		

DRIVER ASSISTANCE

3D Surround Camera	360° Parking Aid	Adaptive Cruise Control
Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)	Lane Keep Assist (Not available in India)	Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191‡
Acceleration (s) 0-100 km/h	6.4

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 436 (5 seats) / 2 506 (5+2 seats) △
Unladen weight (DIN) (kg)	2 361 (5 seats) / 2 431 (5+2 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3 200 (5 seats) / 3 280 (5+2 seats)

TOWING

Unbraked trailer (kg)	750
-----------------------	-----

TOWING

Maximum towing (kg)	3 500 (5 seats) / 3 495 (5+2 seats)
Maximum coupling point (nose weight) (kg)	150
Maximum vehicle and trailer combination (GTW) (kg)	6 700 (5 seats) / 6 775 (5+2 seats)

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) ◇
---	--

DIMENSIONS

Height (mm)	1 972 (Coil suspension) 1 967 (Air suspension)
Length (mm)	4 758 (Without spare wheel) 5 018 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 704 (Coil suspension) 1 706 (Air suspension)
Rear wheel track (mm)	1 700 (Coil suspension) 1 702 (Air Suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 025 / NA (5 seats) 1 032 / 1 025 / 1 041 (5+2 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 992 / NA (5 seats) 993 / 975 / 517 (5+2 seats)
---	--

LOADSPACE CAPACITY

Height (mm)	904
Width (mm)	1 211 (5 seats) / 1 188 (5+2 seats)
Width between arches (mm)	1 160
Length behind first row (mm)	1 763 (5 seats) / 1 789 (5+2 seats)
Maximum loadspace volume behind first row - Dry (l)	1 875 (5 seats) / 1 826 (5+2 seats)↔
Maximum loadspace volume behind first row - Wet (l)	2 277 (5 seats) / 2 233 (5+2 seats)◆
Length behind second row (mm)	919 (5 seats) / 900 (5+2 seats)
Maximum loadspace volume behind second row - Dry (l)	786 (5 seats) / 743 (5+2 seats)↔
Maximum loadspace volume behind second row - Wet (l)	972 (5 seats) / 916 (5+2 seats)◆

LOADSPACE CAPACITY

Length behind third row (mm)	289
Maximum loadspace volume behind third row - Dry (l)	160↔
Maximum loadspace volume behind third row - Wet (l)	231◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	228 (Coil suspension) 218 (Air suspension)
Approach Angle	31.2° (Coil suspension) 30.1° (Air suspension)
Departure Angle	37.8° (Coil suspension) 37.7° (Air suspension)
Ramp Angle	22.6° (Coil suspension) 22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	226 (Coil Suspension) 293 (Air Suspension)
Approach Angle	32.0° (Coil suspension) ▽ 37.6° (Air suspension) ▽
Departure Angle	37.7° (Coil suspension) ▽ 41.9° (Air suspension) ▽
Ramp Angle	22.2° (Coil suspension) 27.9° (Air suspension)

WADING DEPTH

Maximum wading depth (mm)	850 (Coil Suspension) 900 (Air Suspension)
---------------------------	--

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
------------------	-------

Wall-to-wall (m)	13.1
------------------	------


Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER V8 5,0 litre V8 368 kW Supercharged Petrol (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Fuji White
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Roof Rails	Without roof rails
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5098, Satin Dark Grey wheels
Tyres	All-Terrain Tyres
Spare Wheel Covers	Body-coloured Spare Wheel Cover
Brake calipers	Black brake calipers

INTERIOR



INTERIOR FEATURES

Seat Configuration	8 seats
Trim	Ebony Windsor leather and Kvadrat™ seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Metallic Grey Powder Coat finish
Interior upgrades	Signature interior upgrade
Headlining	Ebony suedecloth headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic

Defender's signature graphic demonstrating its strength and proportions.

HEADLIGHT WASH

Headlight power wash

Headlight power wash keeps your headlights clean, ensuring clear light in all conditions.

WINDSCREEN

Heated windscreen

Offers a quick and convenient way to defrost or demist the windscreen.

CONSOLE CONFIGURATION

Front centre console refrigerator compartment

Defender's seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual winged headrests

Personalise your comfort by setting and saving your seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

60:40 load through climate rear seats with winged headrests, manual slide and recline and centre armrest

-

THIRD ROW SEATS

40:20:40 folding, heated third row seats

-

STEERING WHEEL

Leather steering wheel

A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

HEATED STEERING

Heated steering wheel

Heated steering wheel for the ultimate driver comfort in colder temperatures.

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Head-up Display

Presents key vehicle data, including speed, gear position and navigation directions, on the windscreen. It features crystal-clear, full-colour high-resolution graphics, enabling you to see all information with ease, including off-road driving information such as incline and camber angles.

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

CONVENIENCE

ClearSight interior rear view mirror

Innovation that drives safety. This technology provides an unobstructed view of the road behind you regardless of rear seat passengers or objects in the loadspace.

Customers who wear varifocal or bifocal lenses may have issues adjusting to the mirror's digital mode. The normal mirror mode, however, can be used at any time.

SUSPENSION

Electronic Air Suspension

A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

LOADSPACE

Flat Loadspace Floor Tray

-

STANDARD FEATURES

EXTERIOR FEATURES

V8 badge in Narvik Black	Gloss Black Grille Bar	Body-coloured bonnet
Black exposed rear recovery eyes	Solar attenuating windscreen	Soft close tail door
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Third Row fixed panoramic roof	Electric Parking Brake (EPB)
Brake pad wear indicator	Emergency Brake Assist	Anti-lock Braking System (ABS)
Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap	Heated rear window with timer
Rear wash wiper	Side-hinged tailgate	Standard tail door
Quad outboard mounted exhaust pipes		

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Electrically adjustable steering column	Satin Chrome gearshift paddles	Twin front cupholders
Sunvisors with illuminated vanity mirrors	Air Quality Sensor	Cabin Air Purification Plus

INTERIOR FEATURES

Four-zone Climate Control	Bright metal pedals	Footwell lights
Illuminated metal treadplates with V8 branding	Configurable Cabin Lighting	Glovebox storage
Rear centre headrest	Rear reading lights	Durable rubber cabin flooring
Carpet mats	Hook(s) in loadspace	Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Surround Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

ClearSight interior rear view mirror	Remote	Wireless device charging
Domestic plug socket	Keyless Entry	

TOWING

Advanced Tow Assist	Trailer Stability Assist (TSA)
---------------------	--------------------------------

SAFETY AND SECURITY

Front passenger seat ISOFIX	Intrusion sensor	Tyre Pressure Monitoring System (TPMS)
Locking wheel nuts	Customer Configurable Autolock	Power operated child locks
Seat belt reminder	Rear ISOFIX	Push Button Start
Front airbags, with passenger seat occupant detector		

TRANSMISSION AND DYNAMICS

Adaptive Off-Road Cruise Control	Adaptive Dynamics	Terrain Response 2 with Dynamic Program
Configurable Terrain Response	Electronic Active Differential with Torque Vectoring by Braking	All Wheel Drive (AWD)
Twin-speed transfer box (high/low range)	8-speed Automatic Transmission	Hill Launch Assist
Electric Power Assisted Steering (EPAS)	Dynamic Stability Control (DSC)	Low traction launch
Electronic Traction Control (ETC)	Roll Stability Control (RSC)	Cornering Brake Control (CBC)
Hill Descent Control (HDC)	Brake Hold	

DRIVER ASSISTANCE

3D Surround Camera	360° Parking Aid	Adaptive Cruise Control
Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)	Lane Keep Assist (Not available in India)	Wade Sensing

DRIVER ASSISTANCE

Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	240◇
Acceleration (s) 0-100 km/h	5.7

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	5 000
Maximum power (kW/r/min)	368 / 6 000 - 6 500
Maximum torque (Nm/r/min)	610 / 2 500 - 5 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 706 (5 seats) / 2 735 (7 seats) / 2 745 (8 seats) △
Unladen weight (DIN) (kg)	2 631 (5 seats) / 2 660 (7 seats) / 2 670 (8 seats) ▲
Gross Vehicle Weight (GVW) (kg)	3 380

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	3 000
Maximum coupling point (nose weight) (kg)	120
Maximum vehicle and trailer combination (GTW) (kg)	6 380

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	0 (All-season tyres) ▼
---	------------------------

DIMENSIONS

Height (mm)	1 970
Length (mm)	5 099 (Without spare wheel) 5 358 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 707 (Air suspension)
Rear wheel track (mm)	1 702 (Air suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	-
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 027 / NA (5 seats) / 1 032 / 995 / 990 (7 seats) / 1 032 / 1 027 / 990 (8 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 975 / NA (5 seats) / 993 / 984 / 865 (7 seats) / 993 / 975 / 804 (8 seats)
---	--

LOADSPACE CAPACITY

Height (mm)	905
Width (mm)	1 254
Width between arches (mm)	1 149
Length behind first row (mm)	2 111 (5 seats) / 2 064 (7 seats) / 2 072 (8 seats)
Maximum loadspace volume behind first row - Dry (l)	2 078 (5 seats) / 1 864 (7 seats) / 1 876 (8 seats)↕
Maximum loadspace volume behind first row - Wet (l)	2 516 (5 seats) / 2 223 (7 seats) / 2 291 (8 seats)◆
Length behind second row (mm)	1 267 (5 seats) / 1 206 (7 seats) / 1 200 (8 seats)
Maximum loadspace volume behind second row - Dry (l)	1 094 (5 seats) / 1 012 (7 seats) / 1 015 (8 seats)↕

LOADSPACE CAPACITY

Maximum loadspace volume behind second row - Wet (l)	1 329 (5 seats) / 1 226 (7 seats) / 1 232 (8 seats)◆
Length behind third row (mm)	N/A (5 seats) / 398 (7 seats) / 398 (8 seats)
Maximum loadspace volume behind third row - Dry (l)	N/A (5 seats) / 290 (7 seats) / 290 (8 seats)↕
Maximum loadspace volume behind third row - Wet (l)	N/A (5 seats) / 389 (7 seats) / 389 (8 seats)◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	218.5 (Air suspension)
Approach Angle	30.1° (Air suspension)
Departure Angle	24.5° (Air suspension)
Ramp Angle	22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	293 (Air suspension)
Approach Angle	37.5° (Air suspension) ▽
Departure Angle	25.8° (Air suspension) ▽
Ramp Angle	27.9° (Air suspension)

TECHNICAL SPECIFICATIONS

WADING DEPTH

Maximum wading depth (mm)	900
---------------------------	-----

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
------------------	-------

Wall-to-wall (m)	13.1
------------------	------

Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

YOUR CONFIGURATION

https://buildyour.landrover.in/lr/en_in/l663_k26/4crr0/a-130_a-p500-130_a-sv8_p/ipr/reserve

4/27/26, 10:54 AM




MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER X Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Gondwana Stone
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Black contrast bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5095, Diamond Turned wheels with Gloss Dark Grey contrast
Tyres	All-Terrain Tyres
Spare Wheel Covers	Body-coloured Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration

8 seats

Trim

Ebony Windsor leather and Kvadrat™ seats with Ebony interior

Finishers

Ebony finisher

Cross car beam

Cross car beam in Metallic Grey Powder Coat finish

Interior upgrades

Signature interior upgrade

Headlining

Ebony suedecloth headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic

Defender's signature graphic demonstrating its strength and proportions.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual winged headrests

Personalise your comfort by setting and saving your seat position and posture, heating or cooling your seats depending on where your next adventure takes you. In addition, our new winged headrests add extra comfort and support.

REAR SEAT OPTIONS

60:40 load through climate rear seats with winged headrests, manual slide and recline and centre armrest

-

THIRD ROW SEATS

40:20:40 folding, heated third row seats

-

STEERING WHEEL

Leather steering wheel

A strong, stylish accompaniment to our sophisticated Windsor Leather or Windsor Leather with Kvadrat trims.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Head-up Display

Presents key vehicle data, including speed, gear position and navigation directions, on the windscreen. It features crystal-clear, full-colour high-resolution graphics, enabling you to see all information with ease, including off-road driving information such as incline and camber angles.

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

CONVENIENCE

ClearSight interior rear view mirror

Innovation that drives safety. This technology provides an unobstructed view of the road behind you regardless of rear seat passengers or objects in the loadspace.

Customers who wear varifocal or bifocal lenses may have issues adjusting to the mirror's digital mode. The normal mirror mode, however, can be used at any time.

SUSPENSION

Electronic Air Suspension

A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

LOADSPACE

Flat Loadspace Floor Tray

-

STANDARD FEATURES

EXTERIOR FEATURES

X badge	Gloss Black Grille Bar	Gloss Black Bonnet Chequer Finisher
Narvik Black Bonnet Lettering	Narvik Black Front and Rear Skidpans	Narvik Black Tailgate Lettering
Orange brake calipers	Orange exposed rear recovery eyes	Solar attenuating windscreen
Soft close tail door	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Third Row fixed panoramic roof
Electric Parking Brake (EPB)	Brake pad wear indicator	Emergency Brake Assist
Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap
Heated rear window with timer	Rear wash wiper	Side-hinged tailgate
Standard tail door		

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather and Kvadrat™ seats	Electrically adjustable steering column	Twin front cupholders
------------------------------------	---	-----------------------

INTERIOR FEATURES

Sunvisors with illuminated vanity mirrors	Air Quality Sensor	Cabin Air Purification Plus
Three-zone Climate Control with Rear Heating and Cooling Assist	Bright metal pedals	Footwell lights
Illuminated metal treadplates with DEFENDER script	Configurable Cabin Lighting	Glovebox storage
Rear centre headrest	Rear reading lights	Durable rubber cabin flooring
Carpet mats	Hook(s) in loadspace	Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen	Android Auto™ (subject to availability)	Apple CarPlay® (subject to availability)
Pivi Pro (Connected)	Meridian™ Surround Sound System	AM/FM radio
12V power socket in loadspace		

CONVENIENCE

ClearSight interior rear view mirror	Remote	Wireless device charging
Domestic plug socket	Keyless Entry	

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX

Intrusion sensor

Tyre Pressure Monitoring System (TPMS)

Locking wheel nuts

Customer Configurable Autolock

Power operated child locks

Seat belt reminder

Rear ISOFIX

Push Button Start

Front airbags, with passenger seat occupant detector

TRANSMISSION AND DYNAMICS

Adaptive Off-Road Cruise Control

Adaptive Dynamics

Terrain Response 2

Configurable Terrain Response

Electronic Active Differential with Torque Vectoring by Braking

All Wheel Drive (AWD)

Twin-speed transfer box (high/low range)

8-speed Automatic Transmission

Hill Launch Assist

Electric Power Assisted Steering (EPAS)

Dynamic Stability Control (DSC)

Low traction launch

Electronic Traction Control (ETC)

Roll Stability Control (RSC)

Cornering Brake Control (CBC)

Hill Descent Control (HDC)

Brake Hold

DRIVER ASSISTANCE

3D Surround Camera

360° Parking Aid

Adaptive Cruise Control

Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)

Lane Keep Assist (Not available in India)

Wade Sensing

Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191 (119)‡
Acceleration (s) 0-100 km/h	6.8

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 627 (5 seats) / 2 696 (7 seats) / 2 666 (8 seats) Δ
Unladen weight (DIN) (kg)	2 552 (5 seats) / 2 621 (7 seats) / 2 591 (8 seats) \blacktriangle
Gross Vehicle Weight (GVW) (kg)	3 380

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	3 000
Maximum coupling point (nose weight) (kg)	120
Maximum vehicle and trailer combination (GTW) (kg)	6 380

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) \diamond
---	---

DIMENSIONS

Height (mm)	1 970
Length (mm)	5 099 (Without spare wheel) 5 358 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 707 (Air suspension)
Rear wheel track (mm)	1 702 (Air suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm) -

Maximum first row / second row / third row headroom with panoramic/fabric roof (mm) 1 032 / 1 027 / NA (5 seats) / 1 032 / 995 / 990 (7 seats) / 1 032 / 1 027 / 990 (8 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm) 993 / 975 / NA (5 seats) / 993 / 984 / 865 (7 seats) / 993 / 975 / 804 (8 seats)

LOADSPACE CAPACITY

Height (mm) 905

Width (mm) 1 254

Width between arches (mm) 1 149

Length behind first row (mm) 2 111 (5 seats) / 2 064 (7 seats) / 2 072 (8 seats)

Maximum loadspace volume behind first row - Dry (l) 2 078 (5 seats) / 1 864 (7 seats) / 1 876 (8 seats)↕

Maximum loadspace volume behind first row - Wet (l) 2 516 (5 seats) / 2 223 (7 seats) / 2 291 (8 seats)◆

Length behind second row (mm) 1 267 (5 seats) / 1 206 (7 seats) / 1 200 (8 seats)

Maximum loadspace volume behind second row - Dry (l) 1 094 (5 seats) / 1 012 (7 seats) / 1 015 (8 seats)↕

LOADSPACE CAPACITY

Maximum loadspace volume behind second row - Wet (l) 1 329 (5 seats) / 1 226 (7 seats) / 1 232 (8 seats)◆

Length behind third row (mm) N/A (5 seats) / 398 (7 seats) / 398 (8 seats)

Maximum loadspace volume behind third row - Dry (l) N/A (5 seats) / 290 (7 seats) / 290 (8 seats)↕

Maximum loadspace volume behind third row - Wet (l) N/A (5 seats) / 389 (7 seats) / 389 (8 seats)◆

GROUND CLEARANCE - STANDARD

Ride height (mm) 218.5 (Air suspension)

Approach Angle 30.1° (Air suspension)

Departure Angle 24.5° (Air suspension)

Ramp Angle 22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm) 293 (Air suspension)

Approach Angle 37.6° (Air suspension) ▽

Departure Angle 28.8° (Air suspension) ▽

Ramp Angle 27.9° (Air suspension)

TECHNICAL SPECIFICATIONS

WADING DEPTH

Maximum wading depth (mm)	900
---------------------------	-----

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
------------------	-------

Wall-to-wall (m)	13.1
------------------	------


Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>

Created for text sne

DEFENDER

DEFENDER X-DYNAMIC HSE Ingenium 3,0 litre 6-cylinder 258 kW Twin Turbocharged Diesel MHEV (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Fuji White
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Wheels	50.80 cm (20) Style 5098, Satin Dark Grey wheels
Tyres	All-Terrain Tyres
Spare Wheel Covers	Body-coloured Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration	5 seats
Trim	Ebony Windsor leather seats with Ebony interior
Finishers	Ebony finisher
Cross car beam	Cross car beam in Light Cloud Powder Coat finish
Interior upgrades	Extended Leather Upgrade
Headlining	Ebony Morzine headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

Matrix LED headlights with signature DRL

The Matrix LED headlights with Signature DRL enable an Adaptive Driving Beam. By splitting the main beam into vertical strips, the adaptive beam maximises the number of high beam sections for ultimate visibility, while casting a shadow over oncoming traffic to help to prevent dazzling. The adaptive beam is also able to optimise the light distribution to suit the driving conditions of town, country, motorway or bad weather.

SIGNATURE GRAPHIC

Signature graphic

Defender's signature graphic demonstrating its strength and proportions.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Centre console with armrest

-

SEATING FUNCTIONALITY

14-way heated and cooled electric memory front seats with 4-way manual headrests

Includes driver's/passenger powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- Power squab bolster
- 4-way lumbar

Driver & Passenger seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

60:40 load through rear seats with manual slide and recline and centre armrest

-

STEERING WHEEL

Standard leather steering wheel

This comfortable steering wheel places a number of Defender's primary functions at your fingertips. Incorporates PU covered airbag cover.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Leather gearshift

A strong, stylish, leather-wrapped gearshift that adds the ideal finishing touch to our sophisticated Windsor Leather or Windsor Leather Kvadrat trims.

DISPLAY

Without Head-up Display

-

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Electronic Air Suspension

A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.

SPARE WHEELS

50.80 cm (20) full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Attention Monitor

The Driver Attention Monitor helps keep your eyes on the road by alerting you when you appear distracted. A helpful nudge that could prevent an accident.

STANDARD FEATURES

EXTERIOR FEATURES

Gloss Black Grille Bar	Graphite Atlas Matte Lettering	Satin Carpathian Grey front and rear skid pan
Body-coloured bonnet	Black exposed rear recovery eyes	Soft close tail door
Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side	Third Row fixed panoramic roof	Electric Parking Brake (EPB)
Brake pad wear indicator	Emergency Brake Assist	Anti-lock Braking System (ABS)
Electronic Brake-force Distribution (EBD)	Electric windows with one-touch open/close and anti-trap	Heated rear window with timer
Rear wash wiper	Side-hinged tailgate	Standard tail door
County graphic decal		

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Windsor leather seats	Electrically adjustable steering column	Twin front cupholders
Sunvisors with illuminated vanity mirrors	Air Quality Sensor	Cabin Air Purification Plus

INTERIOR FEATURES

Three-zone Climate Control with Rear Heating and Cooling Assist

Footwell lights

Standard treadplates

Configurable Cabin Lighting

Glovebox storage

Rear centre headrest

Rear reading lights

Durable rubber cabin flooring

Carpet mats

Hook(s) in loadspace

Loadspace cover

INFOTAINMENT

33.27 cm (13.1) Touchscreen

Android Auto™ (subject to availability)

Apple CarPlay® (subject to availability)

Pivi Pro (Connected)

Meridian™ Sound System

AM/FM radio

12V power socket in loadspace

CONVENIENCE

Auto-dimming interior rear view mirror

Remote

Wireless device charging

Keyless Entry

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Front passenger seat ISOFIX

Intrusion sensor

Tyre Pressure Monitoring System (TPMS)

Locking wheel nuts

Customer Configurable Autolock

Power operated child locks

Seat belt reminder

Rear ISOFIX

Push Button Start

Front airbags, with passenger seat occupant detector

TRANSMISSION AND DYNAMICS

Adaptive Dynamics

Terrain Response

All Wheel Drive (AWD)

Twin-speed transfer box (high/low range)

8-speed Automatic Transmission

Hill Launch Assist

Electric Power Assisted Steering (EPAS)

Dynamic Stability Control (DSC)

Low traction launch

Electronic Traction Control (ETC)

Roll Stability Control (RSC)

Cornering Brake Control (CBC)

Hill Descent Control (HDC)

Brake Hold

DRIVER ASSISTANCE

3D Surround Camera

360° Parking Aid

Adaptive Cruise Control

Traffic Sign Recognition and Adaptive Speed Limiter (Not available in India)

Lane Keep Assist (Not available in India)

Emergency Braking (Not available in India)

TECHNICAL SPECIFICATIONS

PERFORMANCE

Maximum speed km/h	191 (119)‡
Acceleration (s) 0-100 km/h	6.8

FUEL ECONOMY KM/L

Tank capacity (l approx.)	-
---------------------------	---

POWERTRAIN

Capacity (cc)	2 997
Maximum power (kW/r/min)	257 / 4 000
Maximum torque (Nm/r/min)	700 / 1 500 - 3 000
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2 627 (5 seats) / 2 696 (7 seats) / 2 666 (8 seats) Δ
Unladen weight (DIN) (kg)	2 552 (5 seats) / 2 621 (7 seats) / 2 591 (8 seats) \blacktriangle
Gross Vehicle Weight (GVW) (kg)	3 380

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	3 000
Maximum coupling point (nose weight) (kg)	120
Maximum vehicle and trailer combination (GTW) (kg)	6 380

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) \diamond
---	---

DIMENSIONS

Height (mm)	1 970
Length (mm)	5 099 (Without spare wheel) 5 358 (With spare wheel)
Width with mirrors folded (mm)	2 008
Width with mirrors out (mm)	2 105
Front wheel track (mm)	1 707 (Air suspension)
Rear wheel track (mm)	1 702 (Air suspension)
Wheelbase (mm)	3 022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm)	-
Maximum first row / second row / third row headroom with panoramic/fabric roof (mm)	1 032 / 1 027 / NA (5 seats) / 1 032 / 995 / 990 (7 seats) / 1 032 / 1 027 / 990 (8 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm)	993 / 975 / NA (5 seats) / 993 / 984 / 865 (7 seats) / 993 / 975 / 804 (8 seats)
---	--

LOADSPACE CAPACITY

Height (mm)	905
Width (mm)	1 254
Width between arches (mm)	1 149
Length behind first row (mm)	2 111 (5 seats) / 2 064 (7 seats) / 2 072 (8 seats)
Maximum loadspace volume behind first row - Dry (l)	2 078 (5 seats) / 1 864 (7 seats) / 1 876 (8 seats)↕
Maximum loadspace volume behind first row - Wet (l)	2 516 (5 seats) / 2 223 (7 seats) / 2 291 (8 seats)◆
Length behind second row (mm)	1 267 (5 seats) / 1 206 (7 seats) / 1 200 (8 seats)
Maximum loadspace volume behind second row - Dry (l)	1 094 (5 seats) / 1 012 (7 seats) / 1 015 (8 seats)↕

LOADSPACE CAPACITY

Maximum loadspace volume behind second row - Wet (l)	1 329 (5 seats) / 1 226 (7 seats) / 1 232 (8 seats)◆
Length behind third row (mm)	N/A (5 seats) / 398 (7 seats) / 398 (8 seats)
Maximum loadspace volume behind third row - Dry (l)	N/A (5 seats) / 290 (7 seats) / 290 (8 seats)↕
Maximum loadspace volume behind third row - Wet (l)	N/A (5 seats) / 389 (7 seats) / 389 (8 seats)◆

GROUND CLEARANCE - STANDARD

Ride height (mm)	218.5 (Air suspension)
Approach Angle	30.1° (Air suspension)
Departure Angle	24.5° (Air suspension)
Ramp Angle	22.0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm)	293 (Air suspension)
Approach Angle	37.6° (Air suspension) ▽
Departure Angle	28.8° (Air suspension) ▽
Ramp Angle	27.9° (Air suspension)

TECHNICAL SPECIFICATIONS

WADING DEPTH

Maximum wading depth (mm)	900
---------------------------	-----

TURNING CIRCLE

Kerb-to-kerb (m)	12.84
------------------	-------

Wall-to-wall (m)	13.1
------------------	------

Turns lock-to-lock (no. of turns)	2.7
-----------------------------------	-----

MODI MOTORS

📞 9800498004

✉ customercare@modimotorsjlr.com

📍 CEEJAY HOUSE, SHIVSAGAR ESTATE,
DR ANNIE BESANT RD, WORLI, Mumbai,
Maharashtra, 400018



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available

‡Max speed is 209km/h when fitted with 22" wheels.

◇Max speed is 191km/h when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

[PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Important note on imagery & specification. We are living through exceptional times. Due to the Covid pandemic we have been prevented or delayed in the creation of new images of current model years. Now the global impact of micro-chip shortages is further affecting build specifications, options and launch timings. Until this unique event settles, please note that **many images cannot**

be updated to 22/23 model year specifications. Features, options, trim and colour schemes may differ from many images. Customers are urged to consult their local Retailer for detailed 22/23 model year specifications and to not base an order on marketing imagery and specification alone.

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years. The information, specification, engines and colours on this website are based on European specification and may vary from market to market and are subject to change without notice. Some vehicles are shown with optional equipment and retailer-fit accessories that may not be available in all markets. Please contact your local Retailer for local availability and prices.

DEFENDER

<https://www.landrover.in/index.html>